

MISCELLANEOUS MONTHLY AND ANNUAL 1888- 2012 RECORDS ELKO

NOTE: * indicates record was also set multiple times previously

<u>Month</u>	<u>Highest temperature</u>	<u>Lowest daily maximum temperature</u>
January	65 on 1/31/2003	-12 on 1/8/1890
February	70 on 2/28/1986*	-3 on 2/10/1933
March	78 on 3/21/2004*	24 on 3/1/1971*
April	87 on 4/22/2012	29 on 4/1/1936
May	97 on 5/28/2003	33 on 5/1/1913
June	104 on 6/24/1981	44 on 6/11/1913
July	107 on 7/4/1981*	52 on 7/3/1913
August	107 on 8/4/1978	59 on 8/20/1968
September	99 on 9/3/1950	42 on 9/30/1971
October	92 on 10/1/2010	29 on 10/28/1971
November	83 on 11/7/1913	6 on 11/28/1896
December	65 on 12/1/1995	-6 on 12/25/1924
Annual	107 on 7/4/1981*	-12 on 1/8/1890

<u>Month</u>	<u>Highest daily minimum temperature</u>	<u>Lowest temperature</u>
January	44 on 1/1/1997*	-43 on 1/21/1937
February	43 on 2/18/1986	-41 on 2/27/1890
March	50 on 3/30/1978	-15 on 3/2/1890
April	52 on 4/25/2012	-2 on 4/1/1936
May	65 on 5/17/1909	8 on 5/2/1913
June	62 on 6/25/1981*	12 on 6/6/1914
July	73 on 7/13/1897	28 on 7/11/1890
August	69 on 8/10/2012	20 on 8/26/1992
September	65 on 9/4/1931	9 on 9/26/1934
October	56 on 10/13/1962*	0 on 10/12/1891
November	51 on 11/11/1973	-16 on 11/29/1896
December	47 on 12/3/1980	-41 on 12/25/1924
Annual	73 on 7/13/1897	-43 on 1/21/1937

MISCELLANEOUS MONTHLY AND ANNUAL 1888- 2012 RECORDS, CONTINUED ELKO

NOTE: * indicates record was also set multiple times previously

<u>Month</u>	<u>Greatest # of days with a minimum temperature</u> 32F or lower	<u>Greatest # of days with a minimum temperature</u> 0F or lower
January	31 in 2010*	25 in 1949
February	29 in 2012*	20 in 1933
March	31 in 1988*	5 in 1922
April	29 in 1970*	1 in 1936
May	31 in 1899	0 in 2012*
June	18 in 1895	0 in 2012*
July	4 in 1916	0 in 2012*
August	6 in 1992*	0 in 2012*
September	29 in 1901	0 in 2012*
October	31 in 1915*	1 in 1891
November	30 in 2011*	8 in 1931
December	31 in 2010*	21 in 1909
Annual	265 in 1895	45 in 1949

<u>Month</u>	<u>Least # of days with a minimum temperature</u> 32F or lower	<u>Least # of days with a minimum temperature</u> 0F or lower
January	23 in 1980*	0 in 2010*
February	15 in 1968	0 in 2012*
March	12 in 1983	0 in 2012*
April	6 in 1926	0 in 2012*
May	0 in 2005*	0 in 2012*
June	0 in 2009*	0 in 2012*
July	0 in 2012*	0 in 2012*
August	0 in 2012*	0 in 2012*
September	0 in 2012*	0 in 2012*
October	4 in 1979	0 in 2012*
November	17 in 1927	0 in 2012*
December	22 in 1983	0 in 2012*
Annual	147 in 1983	0 in 2003*

MISCELLANEOUS MONTHLY AND ANNUAL 1888- 2012 RECORDS, CONTINUED ELKO

NOTE: * indicates record was also set multiple times previously

<u>Month</u>	<u>Greatest # of days with a maximum temperature 90F or above</u>	<u>Greatest # of days with a maximum temperature 32F or below</u>
January	0 in 2012*	27 in 1949
February	0 in 2012*	22 in 1933
March	0 in 2012*	9 in 1952
April	0 in 2012*	2 in 1975
May	8 in 1919	0 in 2012*
June	22 in 1918	0 in 2012*
July	31 in 1919*	0 in 2012*
August	31 in 1917	0 in 2012*
September	13 in 1979	0 in 2012*
October	1 in 2010	2 in 1971*
November	0 in 2012*	15 in 1944
December	0 in 2012*	25 in 1930
Annual	84 in 1917	63 in 1944

<u>Month</u>	<u>Least # of days with a maximum temperature 90F or above</u>	<u>Least # of days with a maximum temperature 32F or below</u>
January	0 in 2012*	0 in 2003*
February	0 in 2012*	0 in 2012*
March	0 in 2012*	0 in 2011*
April	0 in 2012*	0 in 2012*
May	0 in 2012*	0 in 2012*
June	0 in 1998*	0 in 2012*
July	1 in 1993	0 in 2012*
August	0 in 1899	0 in 2012*
September	0 in 2011*	0 in 2012*
October	0 in 2012*	0 in 2012*
November	0 in 2012*	0 in 2012*
December	0 in 2012*	0 in 1976*
Annual	3 in 1993	0 in 1900

MISCELLANEOUS MONTHLY AND ANNUAL 1888-
2012 RECORDS, CONTINUED
ELKO

NOTE: * indicates record was also set multiple times previously

Shortest warm season interval between daily minimum temperatures of 32F
or less:

29 days from 8/1/1995 to 8/29/1995*

Longest interval between daily minimum temperatures of 32F or less:

155 days from 4/20/1980 to 9/21/1980

Shortest warm season interval between daily minimum temperatures of 0F
or less:

231 days from 3/25/1924 to 11/10/1924

Longest interval between daily minimum temperatures of 0F or less:

704 days from 2/1/1980 to 1/4/1982

Shortest warm season interval between daily maximum temperatures of 32F
or less:

214 days from 4/2/1936 to 11/1/1936

Longest interval between daily maximum temperatures of 32F or less:

378 days from 12/9/1980 to 12/21/1981

MISCELLANEOUS MONTHLY AND ANNUAL 1888- 2012 RECORDS, CONTINUED ELKO

NOTE: * indicates record was also set multiple times previously

<u>Month</u>	<u>Greatest daily precipitation total</u>	<u>Greatest two-day precipitation total</u>
January	2.00 on 1/28/1916*	2.20 on 1/28-29/1916
February	1.70 on 2/11/1922	2.40 on 2/18-19/1901
March	1.50 on 3/17/1903	1.90 on 3/4-5/1890
April	3.30 on 4/22/1925	3.30 on 4/22/1925
May	1.73 on 5/21/1971	2.04 on 5/20-21/1971
June	1.50 on 6/3/1903	2.09 on 6/1-2/1891
July	1.28 on 7/8/2001	1.71 on 7/14-15/1910
August	4.13 on 8/27/1970	4.20 on 8/27-28/1970
September	2.25 on 9/5/1978	2.37 on 9/5-6/1978
October	1.63 on 10/24/2010	1.69 on 10/23-24/2010
November	1.50 on 11/29/1898	2.00 on 11/12-13/1903
December	1.60 on 12/3/1950	1.92 on 12/27-28/1891
Annual	4.13 on 8/27/1970	4.20 on 8/27-28/1970

<u>Month</u>	<u>Greatest # of days with a total precipitation of 0.01" or more</u>	<u>Greatest # of days with a total precipitation of 0.10" or more</u>
January	17 in 1933	14 in 1890
February	16 in 1998*	11 in 1901
March	16 in 1989*	14 in 1904
April	19 in 2003	10 in 1900
May	20 in 1995	10 in 1980
June	17 in 1963	12 in 1913
July	12 in 1960	5 in 1912
August	11 in 2004*	6 in 1983*
September	13 in 1982*	7 in 1982*
October	12 in 1984*	7 in 2004*
November	17 in 1988	11 in 1901
December	25 in 1983	16 in 1983
Annual	129 in 1983	68 in 1983

MISCELLANEOUS MONTHLY AND ANNUAL 1888- 2012 RECORDS, CONTINUED ELKO

NOTE: * indicates record was also set multiple times previously

<u>Month</u>	<u>Greatest # of days with a total precipitation of 0.50" or more</u>	<u>Greatest # of days with a total precipitation of 1.00" or more</u>
January	5 in 1890	2 in 1916*
February	6 in 1901	2 in 1901
March	4 in 1904	1 in 2012*
April	4 in 1900	1 in 1943*
May	4 in 1917*	1 in 1971*
June	3 in 1968*	1 in 1968*
July	2 in 1950*	1 in 2001*
August	3 in 1899	2 in 1899
September	2 in 1983*	1 in 1978*
October	2 in 1972*	1 in 2010*
November	2 in 1983*	2 in 1930
December	5 in 1891	2 in 1891
Annual	13 in 1900	4 in 1916*

<u>Month</u>	<u>Greatest daily snowfall total</u>	<u>Greatest two-day snowfall total</u>
January	18.4 on 1/24/1996	22.5 on 1/23-24/1996
February	12.0 on 2/11/1922*	18.0 on 2/26-27/1902
March	15.0 on 3/17/1909	17.0 on 3/16-17/1903
April	16.0 on 4/22/1925	16.0 on 4/22/1925
May	7.8 on 5/21/1971	11.1 on 5/20-21/1971
June	1.7 on 6/5/1914	1.7 on 6/5/1914
July		
August		
September	2.0 on 9/30/1982	2.0 on 9/30/1982
October	5.2 on 10/12/1963	6.0 on 10/25-26/1919
November	10.6 on 11/11/1944	15.0 on 11/16-17/1930
December	16.0 on 12/21/1924	19.0 on 12/27-28/1891
Annual	18.4 on 1/24/1996	22.5 on 1/23-24/1996

MISCELLANEOUS MONTHLY AND ANNUAL 1888- 2012 RECORDS, CONTINUED ELKO

NOTE: * indicates record was also set multiple times previously

<u>Month</u>	<u>Greatest # of days with a total snowfall of 0.1" or more</u>	<u>Greatest # of days with a total snowfall of 1.0" or more</u>
January	20 in 1964	14 in 1890
February	16 in 1969	8 in 1969
March	14 in 2006	8 in 2006*
April	12 in 1967	7 in 1999
May	4 in 1999*	2 in 1988*
June	1 in 1914*	1 in 1914
July	0 in 2011*	0 in 2011*
August	0 in 2011*	0 in 2011*
September	2 in 1948	1 in 1982*
October	6 in 1971	3 in 1946
November	12 in 1985	7 in 2010*
December	18 in 2001*	14 in 1983
Annual	63 in 1971*	35 in 1983

<u>Month</u>	<u>Greatest # of days with a total snowfall of 5.0" or more</u>
January	6 in 1890
February	3 in 1932
March	3 in 1902
April	1 in 2011*
May	1 in 1971*
June	0 in 2011*
July	0 in 2011*
August	0 in 2011*
September	0 in 2011*
October	1 in 1963*
November	3 in 1930
December	5 in 1891
Annual	6 in 1996*

MISCELLANEOUS MONTHLY AND ANNUAL 1888-
2012 RECORDS, CONTINUED
ELKO

NOTE: * indicates record was also set multiple times previously

Shortest warm season interval between daily snowfall totals of 0.1" or more:
132 days from 5/22/1971 to 9/30/1971

Longest interval between daily snowfall totals of 0.1" or more:
315 days 2/6/1940 to 12/16/1940

Shortest warm season interval between daily snowfall totals of 1.0" or more:
146 days from 5/22/1971 to 10/14/1971

Longest interval between daily snowfall totals of 1.0" or more:
326 days from 2/6/1940 to 12/27/1940

MISCELLANEOUS MONTHLY AND ANNUAL 1888- 2012 RECORDS, CONTINUED ELKO

NOTE: * indicates record was also set multiple times previously

<u>Month</u>	<u>Highest average wind speed</u>	<u>Lowest average wind speed</u>
January	8.4 in 1965	3.2 in 2003
February	9.0 in 1949	3.8 in 1957
March	8.1 in 1963	4.1 in 1972
April	8.5 in 1974	4.8 in 1972
May	8.5 in 1965	4.5 in 1972*
June	8.7 in 1949	4.7 in 1967
July	7.6 in 1949	4.8 in 1982
August	7.1 in 1990	4.4 in 1967
September	7.2 in 1965	3.9 in 2012
October	7.3 in 1962	3.2 in 1980
November	7.3 in 1970	2.2 in 1969
December	9.1 in 1964	1.7 in 2000
Annual	6.9 in 1965	4.9 in 1972*

<u>Month</u>	<u>Greatest # of days with thunderstorms</u>	<u>Greatest # of days with fog</u>
January	1 in 1996*	6 in 1962
February	3 in 2001	4 in 2005*
March	2 in 1992*	4 in 2001
April	4 in 1991*	4 in 1991
May	12 in 1963*	3 in 1982*
June	11 in 1972	1 in 2008*
July	10 in 1952	1 in 1960*
August	12 in 1983	2 in 1965
September	9 in 1998	2 in 1991
October	4 in 1956	3 in 2005*
November	1 in 2008*	4 in 2003
December	1 in 2001*	6 in 1966
Annual	33 in 1949	17 in 2005